



CERTIFICATE OF CONFORMITY

Product Listing Scheme: Scheme Type 5

This certificate is issued to: Huawei International Pte. Ltd.
51 Changi Business Park Central 2
#07-08 The Signature
Singapore 486066

Registration Number/UEN: 200717119C

Product: Compartmentation Wall
(Fire Rated Partition System)

Brand: Huawei International Pte. Ltd.

Model: FHB2022_A0

Country of Origin: China

Product Details: Non-loading bearing fire rated partition system with
2 nos. of ventilation openings of 185mm x 433mm sealed up with
12mm thick fibrous silicate board
Integrity: 60mins ; Insulation: 30mins
Fire exposed side: Galvanised steel sheet
Rockwool panel sandwiched by 1 layer of 0.5mm thick galvanized steel sheet on
both sides and clad with 1.6mm thick corrugated steel sheet on fire unexposed side
Fire exposed side: Galvanized steel sheet
Brand / Model: HUANAN JIANCAI / B100A
Wool Density: 120kg/m³ (±15%) Thickness: 100mm (Classification: A1)

Standard(s): EN1364-1:2015
EN 13501:2018

Report(s): System Test: KAS No. J220725002-3R1, STS No. 14007-0922-03552-MEFT-01
Material Test: KAS No. J220725002-4R1, STS No. 14007-0922-03552-MEFT-02

This certificate issued in accordance with SCDF Fire Code 2018 requirements.

Head of Certification



Singapore Test Services



PD-2010-12



Certificate No.	Date of Original Issue	No. of Page(s)	Date of Last Revision	Date of Expiry
22A0603	27 October 2022	1 of 1	-	26 October 2027